

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	502	((supercharger or supercharged or supercharging) near5 "gas turbine")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:05
L2	0	((supercharger or supercharged or supercharging) near5 "gas turbine") and (("ram in " or ram) near5 (compressor or compressors))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:25
L3	50	((supercharger or supercharged or supercharging) near5 "gas turbine") and (compressors or "multi stage compressor")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:40
L4	390	("ram in " or ram) near5 (compressor or compressors))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:25
L5	40	("ram in " or ram) near5 (compressor or compressors)) and (combustor or "cpombustion chamber")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:27
L6	74	("ram in " or ram) near5 (compressor or compressors)) and (combustor or "combustion chamber")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:29
L7	33	((supercharger or supercharged or supercharging) near5 "gas turbine") and (compressors or "multi stage compressor") and (combustor or "combustion chamber")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:49
L8	1	"5347806".PN.	USPAT; USOCR	OR	OFF	2005/02/16 09:47
L9	1	"5081832".PN.	USPAT; USOCR	OR	OFF	2005/02/16 09:47
L10	1	"4244191".PN.	USPAT; USOCR	OR	OFF	2005/02/16 09:48
L11	2227	"gas turbine" and (compressors or "multi stage compressor") and (combustor or "combustion chamber")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:50

L12	62	"gas turbine engine" and (core near3 "gas turbine") and (compressors or "multi stage compressor") and (combustor or "combustion chamber")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:53
L13	0	"gas turbine engine" and (core near3 "gas turbine") and (rotary near3 ram) and (combustor or "combustion chamber")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:54
L14	529	(rotary near3 ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:59
L15	267	60/728.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:08
L16	1	"4569195".PN.	USPAT; USOCR	OR	OFF	2005/02/16 10:31
L17	1	"4932204".PN.	USPAT; USOCR	OR	OFF	2005/02/16 10:32
L18	1	"5386685".PN.	USPAT; USOCR	OR	OFF	2005/02/16 10:32
L19	1	"5884470".PN.	USPAT; USOCR	OR	OFF	2005/02/16 10:32
L20	192	60/39.183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:48
L21	2	"2245954".PN.	USPAT; USOCR	OR	OFF	2005/02/16 10:37
L22	2	"2584232".PN.	USPAT; USOCR	OR	OFF	2005/02/16 10:37
L23	1	"4751814".PN.	USPAT; USOCR	OR	OFF	2005/02/16 10:38
L24	2	"2485023".PN.	USPAT; USOCR	OR	OFF	2005/02/16 10:40
L25	2	"2651174".PN.	USPAT; USOCR	OR	OFF	2005/02/16 10:40
L26	3	60/39.183.ccls. and "open cycle"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:48

L27	1	60/39.183.ccls. and "open cycle" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:49
L28	1	60/39.181.ccls. and "open cycle" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:50
L29	6	60/39.182.ccls. and "open cycle" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:53
L30	0	60/722-760.ccls. and "open cycle" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:55
L31	0	60/795-803.ccls. and "open cycle" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:54
L32	0	60/722.ccls. and "open cycle" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:55
L33	4	("open cycle" near5 "gas turbine") and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:56
L34	25	("open cycle" and "gas turbine") and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:59
L35	2225	"gas turbine" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:59
L36	1349	"gas turbine" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:02

L37	78	"gas turbine" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines) and (core near5 engine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:05
L38	17	"gas turbine" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines) and (core near5 engine) and (variable near5 turbine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:07
L39	1	"gas turbine" and (pressure near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines) and (core near5 engine) and ("variable geometry" near5 turbine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:13
L40	0	"gas turbine" and ("air pressure" near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines) and (core near5 engine) and ("variable geometry" near5 turbine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:14
L41	4	"gas turbine" and ("air pressure" near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines) and (core near5 engine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:15
L42	0	((supercharger or supercharged or supercharging) near5 "gas turbine") and ("air pressure" near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines) and (core near5 engine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:17

L43	0	((supercharger or supercharged or supercharging) and "gas turbine") and ("air pressure" near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines) and (core near5 engine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:17
L44	26	((supercharger or supercharged or supercharging) and "gas turbine") and ("air pressure" near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:17
L45	25	((supercharger or supercharged or supercharging) and "gas turbine") and ("air pressure" near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines) and fuel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:18
L46	8	((supercharger or supercharged or supercharging) and "gas turbine") and ("air pressure" near3 (sense or sensor or sensing or sensed or detect or detects or detector or detecting or detected)) and (compressor or compressors or "multi compressor") and (turbine or turbines) and fuel and (combustor or "combustion chamber")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:37
L47	328	60/39.27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:39
L48	76	60/39.27.ccls. and (sensor or detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:39
L49	69	60/39.27.ccls. and (sensor or detector) and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:41

L50	26	60/39.27.ccls. and ((sensor or detector) near5 pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:44
L51	0	60/39.27.ccls. and ((sensor or detector) near5 "air pressure")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:44
L52	0	(60/39.27.ccls. or 60/281.ccls.) and ((sensor or detector) near5 "air pressure") and fuel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:45
L53	0	(60/39.27.ccls.) and ((sensor or detector) near5 "air pressure") and fuel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:47
L54	14	(60/39.281.ccls.) and ((sensor or detector) near5 "air pressure") and fuel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:45
L55	0	(60/39.27.ccls.) and ((sensor or detector) near5 "air pressure")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:47
L56	14	(60/39.281.ccls.) and ((sensor or detector) near5 "air pressure")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:48
L57	78	(60/39.281.ccls.) and ((sensor or detector) and "air pressure")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:49
L58	108	(60/39.281.ccls.) and ((sensor or sense or sensing or sensed or detect or detected or detecting or detector) and "air pressure")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:49
L59	47	(60/39.281.ccls.) and ((sensor or sense or sensing or sensed or detect or detected or detecting or detector) near5 ("air pressure" or "intake pressure" or "inlet pressure"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:50

L60	55	(60/39.27.ccls. or 60/39.281.ccls.) and ((sensor or sense or sensing or sensed or detect or detected or detecting or detector) near5 ("air pressure" or "intake pressure" or "inlet pressure"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:59
L61	0	(60/S.ccls.) and "gas turbine" and ((sensor or sense or sensing or sensed or detect or detected or detecting or detector) near5 ("air pressure" or "intake pressure" or "inlet pressure"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:00
L62	145	(60/\$.ccls.) and "gas turbine" and ((sensor or sense or sensing or sensed or detect or detected or detecting or detector) near5 ("air pressure" or "intake pressure" or "inlet pressure"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:42
L63	7	60/728.ccls. and (60/39.281.ccls. or 60/39.282.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:09
L64	10	60/728.ccls. and (60/39.281.ccls. or 60/39.282.ccls. or 60/39.27.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:10
L65	13	(60/\$.ccls.) and "gas turbine" and ((sensor or sense or sensing or sensed or detect or detected or detecting or detector) near5 ("air pressure" or "intake pressure" or "inlet pressure")) and "variable geometry"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:11
L66	5	(60/\$.ccls.) and "gas turbine" and ((sensor or sense or sensing or sensed or detect or detected or detecting or detector) near5 ("air pressure" or "intake pressure" or "inlet pressure")) and "multi stage"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:51
L67	0	"rotary ram compressor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:50
L68	66	"rotary ram"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:50
L69	0	("rotary ram" near3 compressor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:51

L70	0	(rotary near3 "ram compressor")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:51
L71	0	(60/\$.ccls.) and "gas turbine" and ((sensor or sense or sensing or sensed or detect or detected or detecting or detector) near5 ("air pressure" or "intake pressure" or "inlet pressure")) and "multi stage" and (ram or ramming)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:52
L72	0	(60/\$.ccls.) and "gas turbine" and ((sensor or sense or sensing or sensed or detect or detected or detecting or detector) near5 ("air pressure" or "intake pressure" or "inlet pressure")) and "multi stage" and (rotary near3 (compressor or compressors))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 12:54
L73	28	(60/\$.ccls.) and "gas turbine" and "multi stage" and (rotary near3 (compressor or compressors))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 13:05
L74	20	(60/\$.ccls.) and "gas turbine" and "multi stage" and (rotary near (compressor or compressors))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 13:05
L75	0	(60/\$.ccls.) and "gas turbine" and "multi stage" and (rotary near (compressor or compressors)) and "variable gemoetry"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 13:06
L76	1	(60/\$.ccls.) and "gas turbine" and "multi stage" and (rotary near (compressor or compressors)) and "variable geometry"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 13:07
L77	0	(60/\$.ccls.) and "gas turbine" and "multi stage" and (rotary near (compressor or compressors)) and (("variable geometry" near3 (turbine or nozzle)) or "VGT" or "VGN")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 13:09
L78	174	(60/\$.ccls.) and "gas turbine" and (("variable geometry" near3 (turbine or nozzle)) or "VGT" or "VGN")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 13:10

L79	134	(60/\$.ccls.) and "gas turbine" and ("variable geometry" near3 (turbine or nozzle)) or "VGT" or "VGN") AND (combustor or "combustion chamber")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:54
L80	2	"2858671".PN.	USPAT; USOCR	OR	OFF	2005/02/16 13:35
L81	1	"3641766".PN.	USPAT; USOCR	OR	OFF	2005/02/16 13:36
L82	12	(60/\$.ccls.) and "gas turbine" and ("variable geometry" near3 (turbine or nozzle)) or "VGT" or "VGN") AND (combustor or "combustion chamber") and ("exhaust gas" near3 (bypass or bypassing or bypassed or bypath))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:48
L83	8	"4244181"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:48
L84	19	"ram compressor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:59
L85	0	"ram in compressor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:54
L86	0	"ram-in compressor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:54
L87	0	"rotary ram compressor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:06
L88	25	"ram in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:07